


Technical specification sheet






Kimono pendant light - folded vertical

Туре	Pendant		Llght globe	8 watt Compact Fluorescent
Designer	Robert Foster			
Year of Design	2013	Y	Cable length Cable colour	2-3 meter White
Material	Anodised and powder coated aluminium		Ceilling rose Diameter Colour Material	90 mm White steel
Dimensions (mm)	250 l x 240 w x 80 h			steei
Colour	White powder coating with red annodising, also available in other customised colours for orders over 10 units.		Packaging (mm)	390 x 210 x 500
	diffes.		Weight	0.5 kg



F!NK Kimono Light installation

Installation should only be done by a qualified electrician. Each Kimono light comes with a light bulb (8-11 watt warm white bayonet), mounting plate, covering plate, 3 x screws, 3 x toggles. The screws should be used when installing into timber or ceiling rafters and the toggles for Gyprock plasterboard.




1

To change bulb: Pull cord and light socket down through the light opening. Socket locks into edge of opening so the bulb can be changed.



F!NK Kimono ceiling rose installation



F!NK: GPO Box 1806, Canberra City, ACT, 2601, Australia. Phone:02 6298 1884, Fax: 02 62975882 Web: www.finkdesign.com Email: mail@finkdesign.com